THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, JULY 30, 1887.

Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Abstract of Season or Intermediate Reports for the Week ending 16th July 1887.

District.	Rain-fall at—	Inches.	Cents.	Price of food grains in seers per Rupee.	Present week. Seers.	Past week. Seers.	Markets how supplied.	State of Crops.	Prospects of Season.	Public Health.	Remarks.
Bangalore ...	Bangalore Town.	...	30				Well.	The standing Vaisakha paddy and sugar-cane crops in good condition, but rain-fall during the week quite insufficient for the young dry crops, which are withering for want of rain. Ragi, punaji paddy, ballar, &c., were sown and Vaisakha paddy was harvested in a few Taluks.	Fair.	Fever generally prevalent. Small-pox in Dodballapur Taluk.	Water and pasturage procurable. Cattle disease in Dodballapur, Anekal, Closepet and Bangalore Taluks.
	" Cantt.	...	29								
	Hoskote ...	...	5								
	Dodballapur ...	...	...								
	Nelamangala ...	..	...	Rice	10½	10½					
	Kankanhalli ...	...	...	Ragi	35	37.					
	Magadi ...	...	5	Horse-gram	27	26.					
	Closepet ...	...	...								
	Anekal ...	...	...								
	Devanhalli ...	...	...								
	Channapatna ...	...	...								
Kolar ...	Kolar ...	...	...	Rice	14 to 17	13 to 17.	Do	Generally good.	Good.	Fever and dysentery prevail in parts.	Water and fodder procurable.
	Bowringpet ...	...	...	Ragi	30 to 50	36 to 50.					
	Chintamani ...	...	...	Horse-gram	24 to 40	20 to 40.					
	Mulbagal ...	...	...								
	Sidlaghatta ...	...	...								
	Chikballapur ...	...	25								
	Bagepalli ...	...	...								
	Goribidnur ...	...	65								
	Malur ...	...	...								
	Srinivaspur ...	...	...								
	Gudibanda ...	1	1								
Tumkur ...	Tumkur ...	...	19	Rice	14 to 17	41 to 17.	Do	Generally good. In Pavagada and Huliyar fading for want of rain.	Do	Fever and small-pox in Chiknayakanhalli.	Cattle suffering from chappe and dod-roga disease. Fodder and water not wanting.
	Maddagiri ...	...	20	Ragi	40 to 52	40 to 56.					
	Chiknayakanhalli.	...	20	Horse-gram	28 to 34	28 to 38.					
	Sira ...	...	39								
	Gubbi ...	...	...								
	Tiptur ...	...	40								
	Pavagada ...	...	..								
	Kunigal ...	...	30								
	Koratagere ...	...	...								
	Turuvekere ..	...	15								
	Huliyar ...	...	36								

	Hunsur ...	...	...	gram 28 to 38	26 to 39.		black and green-gram and hutchellu continued. Standing crops in good condition.		mangala Taluk.	curable. Murrain among cattle in Nagamangala Taluk.
	Yedatore ...	...	63							
	Heggaddevankote.	2	...							
	Gundlupet ...	...	10							
	Nanjangud ...	...	80							
	T. Narsipur ...	...	28							
	Malvalli ...	...	...							
	Mandya ...	...	29							
	Attikuppa ...	...	50							
	Nagamangala ...	...	30							
Hassan. ...	Hassan ...	4	65	Rice 16 to 18	16 to 17	Do	Sugar-cane, paddy, gid-ragi, togare, castor, avare and tadagani thriving well in all the Taluks. Chillies and paddy transplanted in the Hassan and Belur Taluks.	Favorable.	Generally good. Fever and ague prevail in the Hassan, Manjarabad & Arsikere Taluks.	Murrain prevails among cattle in some parts of the Hassan and Arsikere Taluks, and mortality in the latter Taluk during the week is 30.
	Manjarabad ...	20	20	Ragi 48 to 50	48 to 50.					
	Arkalgud ...	3	98	Horse-gram 32 to 34	30 to 32.					
	Belur ...	7	35							
	Channarayapatna.	...	75							
	Arsikere ...	1	30							
	Holé-Narsipur ...	2	91							
Shimoga ...	Shimoga ...	4	98	Rice 12 to 18	12 to 19.	Ample.	Paddy, ragi and sugar-cane in good condition, but in some places these crops suffer from excessive rain. Paddy, ragi, jola and avare were sown and paddy seedlings transplanted in the Malnad.	Good.	Ague, cough, cold, diarrhœa and sore-eyes prevalent.	Murrain, foot and throat diseases prevail in parts.
	Channagiri ...	2	85	Ragi 24 to 60	26 to 61.					
	Honnali ...	1	23	Jola 30 to 50	30 to 50.					
	Shikarpur ...	4	23							
	Sorab ...	11	81							
	Sagar ...	13	91							
	Nagar ...	36	87							
	Tirthahalli ...	22	55							
	Kumsi ...	7	55							
Kadur ...	Chikmagalur ...	4	63	Rice 13 to 20	13 to 20.	Amply.	Standing crops—Paddy ragi, sugar-cane, arecanut coffee, cardamom, jola &c. Paddy, ragi, onions, garlic coriander, &c. were sown. Paddy, ragi, horse-gram, togare, &c. are to be sown.	Favorable.	Small-pox and fever in parts of Kadur and Mudgere and fever in parts of the Koppa Taluk.	"Kaljvara," "Vetrike," and dod-roga diseases continue in the Mudgere Taluk causing much loss in cattle.
	Kadur ...	1	25	Ragi 24 to 50	24 to 50.					
	Tarikere ...	5	40	Horse-gram 16 to 30	15 to 30.					
	Koppa ...	22	36							
	Mudgere ...	21	60							
	Yedahalli ...	...	...							
Chitaldroog.	Chitaldroog ...	...	61	Rice 11 to 15	11 to 15.	Well.	Standing crops in good condition. Ragi, javari, sajje, samé, haralu, togari, gingelly-oil seeds, navane, wheat, avare, kurasani, green-gram and horse-gram were sown during the week.	Good.	Generally good. Sore eyes and bowel-complaints prevail at Head-quarters. Fever is prevalent in parts of Chitaldroog and Jagalur Taluks.	Murrain prevails in parts of Chitaldroog, Jagalur and Molakalmuru Taluks and also in the Hosdurga Ranges. Chappe-roga is prevalent in the Hiriyur Taluk.
	Challakere ...	...	80	Ragi 40 to 64	40 to 64.					
	Hiriyur ...	...	95	Javari 36 to 64	32 to 64.					
	Holalkere ...	...	85							
	Davangere ...	1	39½							
	Molakalmuru ...	...	10							
	Jagalur ...	...	76							
	Hosdurga ...	...	45							

NOTE—

English or Latin Equivalent.

Cholam or Jola	...	Sorghum Vulgare.	Haralu	...	Castor-beans.
Tuvar	...	Dál.	Navane	...	Tennay (Panicum Halicum).
Ballar	...	Beans.	Samé	...	Panicum Milliare.
Ragi	...	Eleusine corocana.	Baragu	...	Panicum Milliaceum.
			Hutchellu	...	Wild gingelly.

MYSORE GAZETTE.

Published by Authority.

BANGALORE, SATURDAY, AUGUST 13, 1887.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Abstract of Season or Intermediate Reports for the Week ending 30th July 1887.

District.	Rain-fall at—	Inches.	Cents.	Price of food grains in seers per Rupee.	Present week. Seers.	Past week. Seers.	Markets how supplied.	State of Crops.	Prospects of Season.	Public Health.	Remarks.
Bangalore ...	Bangalore Town.	...	55				Well.	Wet crops, *viz.* sugar-cane and paddy, in good condition. Dry crops withering in some parts of the District through insufficient rain, but the recent showers did much good. Kartik and punaji paddy, ragi, tuvar &c, were sown, and Vaisakha paddy was harvested.	Improved.	Generally good. Fever prevalent in Dodballapur and Closepet Taluks.	Water and pasturage procurable. Cattle disease in Bangalore, Anekal and Devanhalli Taluks.
	,, Cantt.	...	67								
	Hoskote	...	81								
	Dodballapur	...	50								
	Nelamangala	...	18	Rice	11	11.					
	Kankanhalli	...	15	Ragi	36	35.					
	Magadi	...	19	Horse-gram	26	25½.					
	Closepet	...	...								
	Anekal	...	1 63								
	Devanhalli	...	47								
	Channapatna	...	...								
Kolar ...	Kolar	...	...	Rice	14 to 17	14 to 17.	Do	Withering in some places and good in others. Rain is much wanted.	Generally good.	Fever prevails in parts.	Water and fodder procurable.
	Bowringpet	...	...	Ragi	32 to 50	36 to 50.					
	Chintamani	...	...	Horse-gram	24 to 46	25 to 40.					
	Mulbagal	...	...								
	Sidlaghatta	...	...								
	Chikballapur	...	...								
	Bagepalli	...	...								
	Goribidnur	...	...								
	Malur	...	...								
	Srinivaspur	...	...								
	Gudibanda	...	...								
Tumkur ...	Tumkur	...	...	Rice	14 to 17	14 to 17.	Do	Fading for want of rain.	Good.	Ague and small-pox prevail in parts.	Fodder & water available. Cattle suffering from murrain and cheppe-roga.
	Maddagiri	...	25	Ragi	40 to 56	40 to 54.					
	Chiknayakanhalli.	...	...	Horse-gram	28 to 38	28 to 38.					
	Sira	...	...								
	Gubbi	...	40								
	Tiptur	...	..								
	Pavagada	...	...								
	Kunigal	...	98								
	Koratagere	...	...								
	Turuvekere	...	...								
	Huliyar	...	...								

	Hunsur						chella, green and black-gram and oil-seed sown and are much in need of rain. Yellu, cotton and kambu were harvested.		
	Yedatore								
	Heggaddevankote. ... 40								
	Gundlupet 15								
	Nanjangud 70								
	T. Narsipur 20								
	Malvalli								
	Mandya								
	Attikuppa								
	Nagamangala								
Hassan. ...	Hassan			Rice 16 to 17 17 to 18.		Do	Standing crops, *viz.* sugar-cane, paddy, gid-ragi, togari, avare, castor and tadagani thriving well in the Taluks of Hassan, Manjarabad, Belur, Channarayapatna & Arkalgud. Ragi, avare and togari sown in the Arsikere Taluk.	**Favorable.**	Generally good. Fever, ague and bowel complaints prevail in the Hassan & Manjarabad Taluks.	Murrain among cattle still continues in some parts of the Hassan Taluk.
	Manjarabad ... 2 44			Ragi 44 to 46 48 to 50.						
	Arkalgud 63			Horse-gram 30 to 32 30 to 32.						
	Belur 17½									
	Channarayapatna.									
	Arsikere									
	Holé-Narsipur 32									
Shimoga ...	Shimoga 58			Rice 12 to 17 12 to 17.		Ample.	Standing crops, *viz.* paddy, ragi, jola, sugar-cane &c, in good condition. Paddy, ragi, jola, yellu, kurasani, togari & avare were sown, and paddy seedlings transplanted in the Malnad. Supari is affected by koler-oga in Sagar.	Good.	Fever, chest & bowel complaints & sore eyes prevalent.	Murrain & foot disease prevail in parts.
	Channagiri 30			Ragi 24 to 60 22 to 60.						
	Honnali 20			Jola 40 to 48 32 to 48.						
	Shikarpur 22									
	Sorab ... 2 39									
	Sagar ... 2 65									
	Nagar ... 7 42									
	Tirthahalli ... 6 53									
	Kumsi 65									
Kadur ...	Chikmagalur 33			Rice 13 to 22 13 to 21.		Do	Standing crops—paddy, ragi, coffee, sugar-cane, arecanut, cardamom, avare, togari, wheat, &c. Paddy, ragi, avare, togari, chilly, &c., were sown. Paddy, ragi, horse-gram, chilly, &c., are to be sown.	Favorable.	Small-pox and fever continue in parts of the Kadur and Mudgere Taluks.	Dod-roga among cattle has made its appearance in parts of Ajjampur, Magani of the Tarikere Taluk.
	Kadur 2			Ragi 24 to 50 24 to 50.						
	Tarikere ... 1 15			Horse-gram 16 to 30 16 to 30.						
	Koppa ... 7 64									
	Mudgere ... 3 30									
	Yedahalli									
Chitaldroog.	Chitaldroog 5			Rice 11 to 15 12 to 16.		Well.	Standing crops in good condition. Paddy, ragi, javari, horse-gram, avare and togari were sown in parts of the District.	Good.	Generally good. Ague and small-pox prevail in some parts of Jagalur Taluk.	Murrain prevails throughout the District.
	Challakere			Ragi 40 to 64 38 to 64.						
	Hiriyur			Javari 36 to 64 50 to 64.						
	Holalkere 30									
	Davangere 15									
	Molakalmuru									
	Jagalur									
	Hosdurga									

NOTE—

English or Latin Equivalent.

Cholam or Jola ...	Sorghum Vulgare.	Haralu ...	Castor-beans.
Tuvar ...	Dál.	Navane ...	Tennay (Panicum Halicum).
Ballar ...	Beans.	Samé ...	Panicum Miliare.
Ragi ...	Eleusine coracana.	Baragu ...	Panicum Milliaceum.
		Hutchellu...	Wild gingelly.

568

Abstract of Season or Intermediate Reports for the Week ending 6th August 1887.

District.	Rain-fall at—	Inches.	Cents.	Price of food grains in seers per Rupee.	Markets how supplied.	State of Crops.	Prospects of Season.	Public Health.	Remarks.
Bangalore ...	Bangalore Towu.	...	...	Present week. Seers. / Past week. Seers.	Well.	Sugar-cane and Vaisakha paddy crops in good condition, but punaji paddy in some parts and the recently sown dry crops are withering for want of rain. Ragi, ballar, tuvar, &c., were sown and Vaisakha paddy was harvested. Rain urgently needed for the young crops.	Uncertain.	Generally good. Fever prevails in some Taluks.	Water and pasturage procurable. Cattle disease prevalent in a few Taluks.
	Cantt.	...	...						
	Hoskote	...	...						
	Dodballapur	...	...						
	Nelamangala	...	...	Rice 11 / 11.					
	Kankanhalli	...	...	Ragi 35 / 36.					
	Magadi	...	35	Horse-gram 25½ / 26.					
	Closepet	...	30						
	Anekal	...	...						
	Devanhalli	...	...						
	Channapatna	...	...						
Kolar ...	Kolar	...	50	Rice 14 to 17 / 14 to 17.	Do	Withering in some places and good in others. Rain is much needed.	Do	Fever prevails in parts.	Water and fodder procurable.
	Bowringpet	...	...	Ragi 32 to 50 / 32 to 50.					
	Chintamani	...	...	Horse-gram 23 to 46 / 24 to 46.					
	Mulbagal	...	...						
	Sidlaghatta	...	...						
	Chikballapur	...	...						
	Bagepalli	...	1 40						
	Goribidnur	...	...						
	Malur	...	...						
	Srinivaspur	...	...						
	Gudibanda	...	2 71						
Tumkur ...	Tumkur	...	8	Rice 14 to 17 / 14 to 17.	Do	Sowing impeded and crops fading for want of rain which is urgently needed.	Fair.	Small-pox and fever in Chiknayakanhalli and Pavagada.	Fodder and water available. Cattle suffering from murrain and chappe-roga.
	Maddagiri	...	45	Ragi 40 to 56 / 40 to 56.					
	Chiknayakanhalli.	...	..	Horse-gram 28 to 38 / 28 to 38.					
	Sira	...	...						
	Gubbi	...	..						
	Tiptur	...	...						
	Pavagada	...	...						
	Kunigal	...	35						
	Koratagere	...	...						
	Turuvekere	..	...						
	Huliyar	...	...						
Mysore ...	Mysore	...	...	Rice 12 to 16 / 12 to 16.	Do	Standing crops fading in some parts for want of rain. Paddy, hain-ragi, oil-seeds, cholam, avare, tuvar and cotton were sown. Yellu and baragu were harvested in parts. Rain much needed.	Uncertain.	Generally good. Fever and small-pox abating in the Nagamangala Taluk.	Drinking water & pasturage available. Cattle in good condition.
	Chamarajnagar	...	50	Ragi 36 to 50 / 32 to 50.					
	Seringapatam	...	...	Horse-gram 30 to 38 / 30 to 39.					
	Hunsur	...	...						
	Yedatore	...	...						
	Heggaddevankote.	...	...						
	Gundlupet	...	...						

	Mandya											
	Attikuppa											
	Nagamangala											
Hassan. ...	Hassan			Rice	16 to 18	16 to 17.	Do	Sugar-cane, paddy, ragi, castor, togari, avare and tadagani thriving well in the Taluks of Manjarabad, Belur, Arsikere, Channarayapatna and Arkalgud, while in the Hassan and Holé-Narsipur Taluks they are withering for want of rain.	Do	Generally good. Fever ague and bowel-complaints and small pox prevail in the Hassan Taluk. Fever ague, and small-pox in the Manjarabad and fever, ague in the Belur Taluk, where it is confined to children.	Murrain continues to prevail in some parts of the Hassan Taluk.
	Manjarabad			Ragi	40 to 48	44 to 46.						
	Arkalgud			Horse-gram	30 to 32	30 to 32.						
	Belur 10											
	Channarayapatna.											
	Arsikere 60											
	Holé-Narsipur											
Shimoga ...	Shimoga 4			Rice	13 to 18	12 to 17.	Ample.	Paddy, ragi, jola, sugar-cane, &c., in good condition. Ragi, jola, yellu, kurasani and avare were sown and paddy seedlings transplanted in the Malnad. Supari suffers from koleroga in Sorab and Sagar.	Fair.	Fever, sore-eyes, chest and bowel-complaints prevalent.	Murrain prevails in some Taluks.
	Channagiri 43			Ragi	22 to 62	24 to 60.						
	Honnali 12			Jola	42 to 50	40 to 48.						
	Shikarpur 55											
	Sorab 95											
	Sagar 85											
	Nagar ... 5 16											
	Tirthahalli ... 2 35											
	Kumsi 61											
Kadur ...	Chikmagalur 1			Rice	13 to 21	13 to 22.	Amply.	Paddy, ragi, sugar-cane coffee, arecanut, cardamom, avare, jola, wheat, &c., in good condition, and withering in parts of Kadur Taluk. Paddy, ragi, avare, togari, &c., were sown. Paddy, ragi, horse-gram, chilly, &c., are to be sown. Rain much required in the Kadur Taluk.	Favorable.	Small-pox and fever in parts of Kadur and fever in parts of Mudgere Taluk.	Water-supply and pasturage good. Cattle diseases continue in the Mudgere Taluk and in parts of Adjampur Magani of the Tarikere Taluk.
	Kadur 3			Ragi	26 to 50	24 to 50.						
	Tarikere 25			Horse-gram	16 to 30	16 to 30.						
	Koppa ... 3 66											
	Mudgere ... 1 15											
	Yedahalli											
Chitaldroog.	Chitaldroog 12			Rice	10 to 14	11 to 15.	Well.	Standing crops suffering greatly from want of rain. Castor oil-seeds, sesamum, ragi, paddy, sugar-cane, togari, navane, sajje, wheat, Bengal-gram and horse-gram were sown in parts of the District.	.Uncertain.	Generally good. Fever prevails in some parts of Hiriyur and Chitaldroog Taluks.	Murrain prevails throughout the District except Davangere Taluk.
	Challakere			Ragi	38 to 64	40 to 64.						
	Hiriyur			Javari	30 to 64	36 to 64.						
	Holalkere											
	Davangere											
	Molakalmuru											
	Jagalur											
	Hosdurga											

NOTE—

English or Latin Equivalent.

Cholam or Jola ...	Sorghum Vulgare.	Haralu ...	Castor-beans.
Tuvar ...	Dál.	Navane ...	Tennay (Panicum Halicum).
Ballar ...	Beans.	Samé ...	Panicum Milliare.
Ragi ...	Eleusine corocana.	Baragu ...	Panicum Milliaceum.
		Hutchellu...	Wild gingelly.

By Order,

C. MADIAH,
Under-Secretary.